

Trade name: **PROMASTOP[®] CEMENT**

1. Identification of the product and of the company

| | |
|------------------------------|--|
| Product name: | PROMASTOP [®] Cement |
| Intended Product use: | Sealing penetrations of all sizes however irregular the opening where service cables, pipes and ducts, etc. pass through compartment or separating walls or floors. |
| Company | Comp : Promat International (Asia Pacific) Ltd. Address : Unit 19-02-01, Level 2, PNB Damansara, No. 19, Lorong Dungun, Damansara Heights, 50490 Kuala Lumpur, Malaysia. Tel # : +60(3)-2095 5111 Fax# : +60(3)-2095 6111 E-mail address: info@promat-ap.com |

2. Composition / Information on ingredients

| | |
|----------------------------------|---|
| Description: | Powdery cement, pack in 20kg paper bag. |
| Chemical characterisation | The product comprises of gypsum plaster and perlite aggregates. |

3. Hazard Identification

| | |
|------------------------------|---|
| Health hazard summary | Low toxicity. Under normal conditions of use adverse health effects are not anticipated. |
| Eye | Irritant. Direct contact may result in lacrimation, pain, redness and conjunctivitis. |
| Inhalation | Irritant. Over exposure at high levels may result in mucous membrane irritation of the nose and throat with coughing. |
| Skin | Irritant. Prolonged and repeated contact with the skin may result in mild irritation. |
| Ingestion | Low toxicity. Large doses ingestion may cause obstruction in the stomach. Symptoms may include stomach pain and distress. |

4. First aid measures

| | |
|--------------------|--|
| Eye | Flush gently with running water for at least 20 minutes. Seek medical attention if irritation develops. |
| Inhalation: | If over exposure occurs leave exposure area immediately. If other than minor symptoms are displayed seek immediate medical attention. |
| Skin | Remove contaminated clothing and gently flush affected areas with water. Seek medical attention if irritation develops. Launder clothing before reuse. |
| Ingestion: | If poisoning occurs, seek immediate medical attention. Do not induce vomiting. |

Trade name: PROMASTOP[®] CEMENT

5. Fire fighting measures

Fire and explosion: The product is non-flammable. Evacuate area and contact emergency services. Toxic gases may be evolved when heated. Remain upwind and notify those downwind of hazard.

6. Accidental spill / release measures

Cleaning up: Reuse where possible. No special precautions are required.

7. Handling and storage

Storage: Store in cool, dry, well ventilated area. Removed from oxidising agents, acids and food. Label packages adequately and protect from physical damage. Sealed when not in use.

Transport Not regulated for transport purposes.

8. Exposure controls / Personal protection

Wear dust-proof goggles & PVC/rubber gloves. When using large quantities or heavy contamination is likely, wear overalls. Where inhalation risk exists, wear a Class P1 (Particulate) Respirator.

9. Physical and chemical properties

Appearance: Free flowing dry mix of coarse and fine particles.
Colour: White **Odour:** None

Important safety parameters:

| | |
|--|-----------|
| Boiling point / boiling range: | N.A. |
| Melting point / melting range: | N.A. |
| Flash point: | N.A. |
| Flammability (solid, gaz): | N.A. |
| Flammability temperature: | N.A. |
| Auto-flammability: | N.A. |
| Explosive properties (danger and limits): | N.A. |
| Oxidizing properties: | N.A. |
| Vapour pressure: | N.A. |
| Relative density: | N.A. |
| Solubility: | |
| - water solubility: | Insoluble |
| - fat solubility: | N.A. |
| pH value: | N.A. |
| Partition coefficient (n-octanol/water): | N.A. |
| Viscosity: | N.A. |

10. Stability and reactivity Nothing to report

Trade name: **PROMASTOP® CEMENT**

11.Toxicological information Nothing to report

12.Ecological information

The main component/s of this product occurs naturally in the earth's crust. It is not anticipated to cause any adverse effects to plants or animals.

13.Disposal considerations

| | |
|----------------------------|---|
| Product disposal: | Handle as construction industry waste and dispose in accordance with local legislation. |
| Packaging disposal: | Dispose according to local legislation. |

14.Transport information

| | |
|-----------------------------------|---|
| Road transport: | Product is not classified as dangerous. |
| Inland shipping transport: | Product is not classified as dangerous. |
| Sea shipping transport: | Product is not classified as dangerous. |
| Air transport: | Product is not classified as dangerous. |

15.Regulatory information

Labelling according to EEC – Directives:

The Product is a manufactured article, not a substance nor a preparation. Therefore the EU Directive on classification and labelling 67/548EEC is not applicable.

| | |
|--|------------------------------|
| Danger indication: not applicable | Symbol: not applicable |
| | R – sentence: not applicable |
| | S – sentence: not applicable |

16.Other information

The recommendations for use and installation of PROMASTOP® Cement have to be followed as indicated in the Promat Handbook.

The health and safety information contained herein is believed to be accurate and correct based on our current knowledge at the date of issue and no liability can be accepted for any loss, injury or damage resulting from its use. It is intended as a guide for the safe handling, storage and use under normal conditions, but does not necessarily refer to the particular requirements of a customer when further advice should be obtained.

This data sheet and the information it contains is not intended to supersede any terms or conditions of sale and does not constitute a specification. Nothing contained herein is to be construed as a recommendation for use in violation of any patent or applicable laws or regulations.
